

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number: 10694680**

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Thursday

Date: 4/6/2006  
Time: 14:07:55**PALM INTRANET**

## Inventor Information for 10/694680

Inventor Name	City	State/Country
SHAW, SCOTT RANDALL	BRENTWOOD	TENNESSEE
SHAW, MARK RAYMOND	BRENTWOOD	TENNESSEE

<a href="#">Appln Info</a>	<a href="#">Contents</a>	<a href="#">Petition Info</a>	<a href="#">Atty/Agent Info</a>	<a href="#">Continuity Data</a>	<a href="#">Foreign Data</a>
----------------------------	--------------------------	-------------------------------	---------------------------------	---------------------------------	------------------------------

Search Another: Application#   or Patent#

PCT /  /   or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060074298 A1	20060406	CNS assay for prediction of therapeutic efficacy for neuropathic pain and other functional illnesses	600/425	600/410	Borsook; David et al.
US 20060038783 A1	20060223	Capacitive mouse	345/163		Shaw; Scott J. et al.
US 20060036136 A1	20060216	Patient monitoring system	600/301		Shaw; Mark
US 20060032809 A1	20060216	Dewatering bag	210/452	210/483	Shaw; Mark D. et al.
US 20060026299 A1	20060202	Communication among partitioned devices	709/245		Gostin; Gary Belgrave et al.
US 20050259481 A1	20051124	System and method for migrating data between memories	365/189.05		Shaw, Mark E. et al.
US 20050246508 A1	20051103	System and method for interleaving memory	711/157		Shaw, Mark E.
US 20050240736 A1	20051027	System and method for coherency filtering	711/146		Shaw, Mark
US 20050229691 A1	20051020	Motion sensing for tire pressure monitoring	73/146		Shaw, Mark L. et al.
US 20050225784 A1	20051013	Method of defining a device color profile for a color output device	358/1.9	358/504; 358/518	Jacob, Steve A. et al.
US 20050198522 A1	20050908	Security measures in a partitionable computing system	726/22		Shaw, Mark Edward et al.
US 20050198461 A1	20050908	Security measures in a partitionable computing system	711/173		Shaw, Mark Edward et al.
US 20050178188 A1	20050818	Flow testing system and method	73/37		Shaw, Scott D.
US 20050156881 A1	20050721	Closed-loop sensor on a solid-state object position	345/157		Trent, Raymond A. JR. et al.

		detector			
US 20050154910 A1	20050714	Security measures in a partitionable computing system	726/26	713/165	Shaw, Mark Edward et al.
US 20050154901 A1	20050714	Security measures in a partitionable computing system	713/189		Shaw, Mark Edward et al.
US 20050154881 A1	20050714	Security measures in a partitionable computing system	713/160		Shaw, Mark Edward et al.
US 20050154869 A1	20050714	Security measures in a partitionable computing system	713/1		Shaw, Mark Edward et al.
US 20050152390 A1	20050714	Distribution of communications between paths	370/432	370/390	Schroeder, Michael A. et al.
US 20050152331 A1	20050714	Security measures in a partitionable computing system	370/351	710/316	Shaw, Mark Edward et al.
US 20050146101 A1	20050707	Child carrier attachment for shopping carts	280/33.992		Shaw, Mark D. et al.
US 20050125678 A1	20050609	Systems and methods for configuring digital storage media with multiple access privileges	713/185		Shaw, Mari Myra et al.
US 20050115729 A1	20050602	Macroencapsulation container having both releasable and permanent sealing means	174/50		Shaw, Mark D. et al.
US 20050090805 A1	20050428	Reconnectable disconnect device for fluid transfer line	604/523	604/905	Shaw, Scott Randall et al.
US 20050084928 A1	20050421	Glutamine-auxothrophic human cells capable of producing proteins and capable of growing in a glutamine-free medium	435/69.1	435/320.1; 435/366; 530/395; 536/23.5	Birch, John Robert et al.
US	20050324	Compression wave	261/51	261/60	Shaw, Scott

20050062177 A1		injection carburetor			R.
US 20050060808 A1	20050324	Antidecubitus heel pad	5/649	5/648	Shaw, Mark
US 20050039041 A1	20050217	Access, identity, and ticketing system for providing multiple access methods for smart devices	726/26		Shaw, Mari Myra et al.
US 20050018256 A1	20050127	Method for improved characterization of single-pass bi-directional printers	358/501	358/504	Corbin, David A. et al.
US 20050005945 A1	20050113	Cigarette butt receptacle device	131/231		Shaw, Mark D. et al.
US 20040261741 A1	20041230	Carburetor start pump circuit	123/179.11		Shaw, Scott R.
US 20040252109 A1	20041216	Closed-loop sensor on a solid-state object position detector	345/174		Trent, Raymond A. JR. et al.
US 20040217553 A1	20041104	Macroencapsulation container having both releasable and permanent sealing means	277/628		Shaw, Mark D. et al.
US 20040133756 A1	N/A, Contact help desk				Shaw, Mark E. et al.
US 20040078712 A1	20040422	Method and apparatus for stressing data paths	714/43		Rajamani, Gurushankar et al.
US 20040065142 A1	20040408	Flow testing system and method	73/37		Shaw, Scott D.
US 20040007652 A1	20040115	Brace for concrete forms	248/351		Shaw, Scott et al.
US 20030221650 A1	20031204	Carburetor start pump circuit	123/179.11	123/179.14	Shaw, Scott R.

US 20030200974 A1	20031030	Deodorizer for cigarette butt collection containers	131/238		Shaw, Mark D. et al.
US 20030196141 A1	20031016	Hierarchy of fault isolation timers	714/27	714/48	Shaw, Mark
US 20030173277 A1	20030918	Curb guard filter	210/163	404/4	Shaw, Mark D. et al.
US 20030156098 A1	20030821	Capacitive mouse	345/163		Shaw, Scott J. et al.
US 20030149913 A1	20030807	Method and apparatus for efficient burn-in of electronic circuits	714/30		Balachandran, Hari et al.
US 20030102048 A1	20030605	METHOD AND APPARATUS FOR BREACHING AND VENTING SEALED INNER CONTAINERS WITHIN A DRUM	141/7		Shaw, Mark D. et al.
US 20030053862 A1	20030320	DRAIN SEALING DEVICE	405/40		Shaw, Mark D. et al.
US 20030026557 A1	20030206	Optical bench for an opto-electronic device	385/94	385/52; 385/92	Galeotti, Roberto et al.
US 20030009979 A1	20030116	Plastic slab bolster upper	52/677		Haslem, Dale R. et al.
US 20020190359 A1	20021219	Active device assembly	257/678		Shaw, Mark Andrew et al.
US 20020145093 A1	20021010	Tilt-up concrete form brace	248/235		Shaw, Scott et al.
US 20020129162 A1	20020912	Method, architecture, and apparatus for dynamic content translation and switching	709/238		McGregor, Gregory M. et al.
US	20020725	Bicycle balancing	280/293	280/288.4	Shaw, Mark

20020096858 A1		system			S.
US 20020085598 A1	20020704	Low cost optical bench having high thermal conductivity	372/36		Shaw, Mark A.
US 20020069936 A1	20020613	Filter vent fitting	141/318		Shaw, Mark D. et al.
US 20020069931 A1	20020613	METHOD AND APPARATUS FOR BREACHING AND VENTING SEALED INNER CONTAINERS WITHIN A DRUM	141/51	141/65	Shaw, Mark D. et al.
US 20020063688 A1	20020530	Capacitive mouse	345/163		Shaw, Scott J. et al.
US 20020062603 A1	20020530	Tilt-up concrete form brace	52/125.1	248/351; 249/219.1; 52/125.6	Shaw, Scott et al.
US 20010044745 A1	20011122	Method of providing and tracking embedded e-mail advertising	705/14	705/30	Shaw, Mark D.
US 20010000096 A1	20010405	Tape dispenser	156/200	156/465; 428/121; 428/124	Tolerico, Gary E. et al.
US 6968585 B2	20051129	Antidecubitus heel pad	5/648	5/655.9; 5/953	Shaw; Mark
US 6959370 B2	20051025	System and method for migrating data between memories	711/165		Shaw; Mark E. et al.
US 6938977 B2	20050906	Method for improved characterization of single-pass bi-directional printers	347/19	347/43; 358/1.9; 358/504; 358/518	Corbin; David A. et al.
US 6888860 B2	20050503	Low cost optical bench having high thermal conductivity	372/36	372/33; 372/34	Shaw; Mark A.
US 6857086 B2	20050215	Hierarchy of fault isolation timers	714/55	714/48	Shaw; Mark
US 6838617	20050104	Macroencapsulation	174/50	156/273.9;	Shaw; Mark

B2		container having both releasable and permanent sealing means		156/69; 174/17CT; 174/17R; 174/50.5; 174/66	D. et al.
US 6811708 B2	20041102	Curb guard filter	210/747	210/162; 210/163; 210/480; 404/4	Shaw; Mark D. et al.
US 6799545 B2	20041005	Carburetor start pump circuit	123/179.11	123/179.14; 261/35	Shaw; Scott R
US D493304 S	20040727	Display case for stacked bagged products	D6/476	D6/466	Shaw; Mark C.
US 6735918 B2	20040518	Plastic slab bolster upper	52/677	52/687	Haslem; Dale R. et al.
US 6712528 B2	20040330	Optical bench for an opto-electronic device	385/91	385/49; 385/51; 385/92	Galeotti; Roberto et al.
US 6702261 B1	20040309	Electronic control diaphragm carburetor	261/35	123/438; 261/DIG.68; 261/DIG.74	Shaw; Scott R.
US 6698727 B1	20040302	Electronic control diaphragm carburetor	261/35	123/438; 261/DIG.68; 261/DIG.74	Shaw; Scott R.
US 6654143 B1	20031125	Printer characterization adjustment for different papers	358/1.9	347/14; 358/1.12	Dalal; Edul N. et al.
US 6618825 B1	20030909	Hierarchy of fault isolation timers	714/55	714/48	Shaw; Mark
US 6587093 B1	20030701	Capacitive mouse	345/163	324/660	Shaw; Scott J. et al.
US 6585008 B2	20030701	Method and apparatus for breaching and venting sealed inner containers within a drum	141/51	141/1; 141/4; 141/8; 141/97; 222/87	Shaw; Mark D. et al.
US 6581916 B1	20030624	Electronic control diaphragm carburetor	261/35	123/438; 261/DIG.68; 261/DIG.74	Shaw; Scott R.
US 6578562 B1	20030617	High speed carburetion system for compressed air assisted injection	123/582	123/73PP	Aljabari; Samer et al.



US 6550492 B2	20030422	Filter vent fitting	137/318	137/321; 137/550; 137/588; 55/385.4; 73/52	Shaw; Mark D. et al.
US 6530722 B1	20030311	Drain sealing device	405/52	210/170; 4/293; 404/2	Shaw; Mark D. et al.
US 6474670 B2	20021105	Bicycle balancing system	280/299	16/426; 16/427; 280/293; 280/298	Shaw; Mark S.
US 6435226 B1	20020820	Method and apparatus for breaching and venting sealed inner containers within a drum	141/51	141/1; 141/4; 141/8	Shaw; Mark D. et al.
US 6434946 B1	20020820	Method for making an article assembly with a brazed joint and brazed assembly and preform	60/752	228/227; 228/249; 29/DIG.4	Shaw; Mark Richard et al.
US 6395449 B1	20020528	Poly-hydroxy aromatic dissolution modifiers for lift- off resists	430/270.1	430/156; 430/271.1; 430/320	Hurditch; Rodney J. et al.
US 6305569 B1	20011023	Spill containment pan	220/573	137/312; 184/106	Bierce; Laurence M. et al.
US 6282565 B1	20010828	Method and apparatus for performing enterprise email management	709/206	709/200; 709/203; 709/207; 709/217	Shaw; Mark et al.
US 6263360 B1	20010717	System uses filter tree and feed handler for updating objects in a client from a server object list	709/203	707/10	Arnold; James F. et al.
US 6249807 B1	20010619	Method and apparatus for performing	709/206	379/256; 707/104.1; 710/6;	Shaw; Mark et al.

		enterprise email management		718/100; 718/102; 719/314; 719/326; 719/329; 719/332	
US 6186452 B1	20010213	Robust tube strap clamp	248/74.4	248/229.24	Zearbaugh; Scott R. et al.
US 6173856 B1	20010116	Spill containment pan	220/573	137/312; 184/106	Bierce; Laurence M. et al.
US 6154900 A	20001205	Patient turning apparatus	5/81.1R	5/615; 5/632; 5/715; 5/922	Shaw; Mark
US 6092686 A	20000725	Collapsible liquid containment device	220/573	220/9.1	Shaw; Mark D. et al.
US 5983356 A	19991109	Power conservation method and apparatus activated by detecting shadowed interrupt signals indicative of system inactivity and excluding prefetched signals	713/322	713/320	Pandey; Vimi et al.
US 5924461 A	19990720	Liquid containment apparatus with flexible side wall	141/86	141/98; 184/106; 220/573; 220/9.1	Shaw; Mark D. et al.
US 5896785 A	19990427	Automobile gas cap removal tool	81/3.4	81/121.1	Shaw; Richard J. et al.
US 5891223 A	19990406	Multi-stage vent filter	96/134	55/385.4; 55/482; 55/504; 55/505	Shaw; Mark D. et al.
US 5813680 A	19980929	Hand truck with expandable secondary containment reservoir	280/47.26	220/573; 220/723; 280/79.2; 280/79.5; 414/490	Shaw; Mark D. et al.
US D397221 S	19980818	Heart rate monitor	D24/167		Shaw; Mark B.
US D392856 S	19980331	Automobile gas cap removal tool	D8/14		Shaw; Richard J. et

					al.
US 5706774 A	19980113	Carburetor start pump circuit	123/179.11	123/179.14; 123/DIG.5; 261/35	Shaw; Scott R.
US D382781 S	19970826	Automobile gas cap tool	D8/14	D8/21	Shaw; Richard J. et al.
US 5642834 A	19970701	Secondary containment reservoir device	220/720	220/571; 220/573; 588/249; 588/259	Shaw; Mark D. et al.
US 5636753 A	19970610	Stabilizer for plural drum stacks	211/59.4	206/821; 211/73	Wilkinson; Dennis et al.
US 5630965 A	19970520	Low force limit device	261/71	137/382; 261/DIG.38; 261/DIG.84	Shaw; Scott R. et al.
US 5615608 A	19970401	Reinforced containment pallet	108/55.3	108/57.13	Shaw; Mark D. et al.
US 5577539 A	19961126	Drum-top drainfield funnel	141/332	141/106; 141/333; 141/339; 220/287; 220/571; D15/150; D23/200; D7/700	Shaw; Mark D. et al.
US 5562047 A	19961008	Modular spill deck	108/57.13	108/24; 108/56.1; 206/386; 220/23.4; 220/571	Forney; Frank G. et al.
US D364629 S	19951128	Drum top drainfield funnel	D15/150		Shaw; Mark D. et al.
US D364255 S	19951114	Single drum collection container	D34/1	D34/28	Shaw; Mark D. et al.
US 5429437 A	19950704	Collapsible, self-expanding liquid container	383/33	220/9.2; 220/904; 383/127; 383/43; 383/71	Shaw; Mark D. et al.
US D350280 S	19940906	Carpet protecting furniture support	D8/374		Philpott; Guy et al.
US 5332487 A	19940726	Method and plating apparatus	205/80	204/222; 204/224R; 204/230.3; 204/240;	Young, Jr.; David J. et al.

				204/284; 204/297.02; 204/297.08; 204/DIG.7	
US 5316642 A	19940531	Oscillation device for plating system	204/198	204/212; 204/222; 204/240; 204/284; 204/297.02; 204/297.08; 204/DIG.5	Young, Jr.; David J. et al.
US 5301485 A	19940412	Nelson stud screed post assembly	52/678	52/679	Shaw; Lee A. et al.
US 5212919 A	19930525	Nelson stud screed post assembly	52/126.6	52/365	Shaw; Lee A. et al.
US 5158144 A	19921027	Device and method to extinguish oil well fires	169/46	169/48; 169/52; 169/69	Shaw; Mark D. et al.
US 5117878 A	19920602	Drainfield funnel	141/333	141/106; 141/339; 141/340; 141/364; 141/365	Shaw; Mark D. et al.
US 5096083 A	19920317	Polyethylene shipping drum	220/304	206/519; 215/10; 215/217; 215/330; 215/352; 220/288; 220/380; 220/675; 220/771; D34/39	Shaw; Mark D. et al.
US 5042683 A	19910827	Containment storage apparatus	220/345.3	206/524.6; 220/23.87; 220/345.5; 220/4.21; 220/602; 220/636	Shaw; Mark D. et al.
US D317850 S	19910702	Funnel	D23/200		Shaw; Mark D. et al.
US 5005147 A	19910402	Method and apparatus for sensor fusion	703/13		Krishen; Kumar et al.
US D309364 S	19900717	Salvage drum	D34/39		Shaw; Mark D. et al.

US 4920305 A	19900424	Auto calibrating electro hydraulic servo driver	318/657		Benson; Richard E. et al.
US 4743320 A	19880510	Method of heat sealing a thermoplastic drum and lid and article of manufacture	156/69	156/273.9; 156/274.2; 156/306.6; 264/248; 264/449	Shaw; Mark D.
US 4708258 A	19871124	Salvage drum	220/288	220/284; 220/908	Shaw; Mark D. et al.
US 4586624 A	19860506	Method and device for heat sealing thermoplastics materials	220/613	156/273.9; 156/306.6; 156/69; 220/23.87; 220/319; 220/359.4; 264/248; 264/449; 29/469.5; 29/525.04; 29/525.15	Shaw; Mark D.
US 4565963 A	19860121	Test circuit for motor vehicle speed control	324/503		Shaw; Mark L.
US D276421 S	19841120	Automobile turn signal lever with toggle switches	D12/174		Shaw; Mark L.
US D275943 S	19841016	Automobile turn signal lever with speed control buttons	D12/174		Hickman; Holt et al.
US 4340824 A	19820720	Auxiliary steering wheel command system	307/115	307/10.1; 340/825.77	Shaw; Mark L.
US 4326171 A	19820420	Temperature compensating pressure sensor amplifier circuits	330/256	307/651; 330/289	Shaw; Mark L. et al.
US 4279422 A	19810721	Board game involving multiple variables and performance determination	273/256	273/139; 273/243	Shaw; Mark
US 4224574 A	19800923	Digital frequency quadrupler	377/114	327/309	Shaw; Mark L.
US 4066876	19780103	Digital speed	377/41	180/179;	Shaw; Mark

A		control system		377/2; 377/44	Layne et al.
US 4066874 A	19780103	Digital speed control system	377/41	123/352; 180/179; 377/2; 377/44	Shaw; Mark Layne
US 4031477 A	19770621	System for transferring four commands over a single conductor utilizing dual threshold logic gates	327/407	326/35; 326/59	Shaw; Mark Layne
US 3421008 A	19690107	PHOTOELECTRIC CONTROL DEVICE FOR STREET LIGHTS [TEXT AVAILABLE IN USOCR DATABASE]	250/214R	307/117; 327/428; 361/174	SHAW MARK B
US 1513640 A	19241028	Shingle-cutting device [TEXT AVAILABLE IN USOCR DATABASE]	83/605	125/23.01	SHAW MARK B